

SELECTED BIBLIOGRAPHY ON CASSAVA BIOTECHNOLOGY

• Available in CIAT's Library

- Abdullahi, I.; Winter, S.; Atiri, G.I.; Thottappilly, G. 2003. **Molecular characterization of whitefly, Bemisia tabaci (Hemiptera: Aleyrodidae) populations infesting cassava.** Bulletin of Entomological Research 93(2):97-106.
- Akano, A.O.; Dixon, A.G.O.; Mba, C.; Barrera, E.; Fregene, M. 2002. **Genetic mapping of a dominant gene conferring resistance to cassava mosaic disease.** Theoretical and Applied Genetics 105(4):521-525.
- Almeyda-León, I.H.; Rocha-Peña, M.A.; Piña-Razo, J.; Martínez-Soriano, J.P. 2001. **The use of polymerase chain reaction and molecular hybridization for detection of phytoplasmas in different plant species in Mexico.** Revista Mexicana de Fitopatología 19(1):1-9.
- Alvarez, E.; Mejia, J.F.; Valle, T.L. 2003. **Molecular and pathogenicity characterization of Sphaceloma manihoticola isolates from South-Central Brazil.** Plant Disease 87(11):1322-1328.
- Asante, I.K.; Offei, S.K. 2003. **RAPD-based genetic diversity study of fifty cassava (Manihot esculenta Crantz) genotypes.** Euphytica 131(1):113-119.
- Baguma, Y.; Sun ChuanXin; Ahlandsberg, S.; Mutisya, J.; Palmqvist, S.; Rubaihayo, P.R.; Magambo, M.J.; Egwang, T.G.; Larsson, H.; Jansson, C. 2003. **Expression patterns of the gene encoding starch branching enzyme II in the storage roots of cassava (Manihot esculenta Crantz).** Plant Science 164(5):833-839.
- Bellotti, A.; Arias, B.; Bohorquez, A.; Vargas, J.; Trujillo, G.; Mba, C.; Duque, M.C.; Tohme, J.; Vargas, H.L. 2003. **Recent advances in host plant resistance to whiteflies in cassava.** Resistant Pest Management Newsletter 12(2):38-42.
- Bouis, H.E.; Harris, S.; Lineback, D. 2002. **Biotechnology-Derived Nutritious Foods for Developing Countries: Needs, Opportunities, and Barriers: Proceedings of an international workshop, Cancun, Mexico, 15-17 January 2001.** Food and Nutrition Bulletin 23(4):342-383.

Carvalho, R. de; Guerra, M. 2002. **Cytogenetics of *Manihot esculenta* Crantz (cassava) and eight related species.** Hereditas 136(2):159-168.

- Cortés, D.F.; Reilly, K.; Okogbenin, E.; Beeching, J.R.; Iglesias, C.; Tohme, J. 2002. **Mapping wound-response genes involved in post-harvest physiological deterioration (PPD) of cassava (*Manihot esculenta* Crantz).** Euphytica 128(1):47-53.

Costa, M.R.; Cardoso, E.R.; Ohaze, M.M.M. 2003. **Genetic characterization of cassava (*Manihot esculenta*) by RAPD markers.** Ciência e Agrotecnologia 27(1):158-164.

Charoensub, R.; Phansiri, S.; Yongmanitchai, W.; Sakai, A. 2003. **Routine cryopreservation of in vitro-grown axillary apices of cassava (*Manihot esculenta* Crantz) by vitrification: Importance of a simple monodal culture.** Scientia Horticulturae 98(4):485-492.

- Danso, K.E.; Ford-Lloyd, B.V. 2002. **Induction of high-frequency somatic embryos in cassava for cryopreservation.** Plant Cell Reports 21(3):226-232.

Davis, J.P.; Supatcharee, N.; Khandelwal, R.L.; Chibbar, R.N. 2003. **Synthesis of novel starches in planta: Opportunities and challenges.** Starch/Stärke 55(3/4):107-120.

- El-Zeiny, O.A.H.; Mansour, S.A.; Edriss, M.H.; Abou-Haded, A.F. 2001. **Towards commercial production of cassava in vitro.** Egyptian Journal of Horticulture 28(3):387-394.
- Fauquet, C.M.; Taylor, N. 2002. **The potential for biotechnology to improve the nutritional value of cassava.** Food and Nutrition Bulletin 23(4):364-366.

Franco, C.M.L.; Cabral, R.A.F.; Tavares, D.Q. 2002. **Structural and physicochemical characteristics of lintnerized native and sour cassava starches.** Starch/Stärke 54(10):469-475.

- Fregene, M.A.; Suarez, M.; Mkumbira, J.; Kulembeka, H.; Ndedya, E.; Kulaya, A.; Mitchel, S.; Gullberg, U.; Rosling, H.; Dixon, A.G.O.; Dean, R.; Kresovich, S. 2003. **Simple sequence repeat marker diversity in cassava landraces: Genetic diversity and differentiation in an asexually propagated crop.** Theoretical and Applied Genetics 107(6):1083-1093.

Fukuda, W.M.G.; Oliveira, S. de; Iglesias, S.; Iglesias, C. 2002. **Cassava breeding.** Crop Breeding and Applied Biotechnology 2(4):617-637.

Gonzalez, C.; Restrepo, S.; Tohme, J.; Verdier, V. 2002.

Characterization of pathogenic and nonpathogenic strains of *Xanthomonas axonopodis* pv. *manihotis* by PCR-based DNA fingerprinting techniques. FEMS Microbiology Letters 215(1):23-31.

Guyot, J.P.; Brizuela, M.A.; Rodriguez S., R.; Morlon-Guyot, J. 2003.

Characterization and differentiation of *Lactobacillus manihotivorans* strains isolated from cassava sour starch. International Journal of Food microbiology 87(1/2):187-192.

Harisankar, P.; Pillai, S.V.; Sumarani, G.O.; Sundaresan, S. 2002.

Isozyme and RAPD analysis of cassava germplasm: Identification of duplicates in exotic collection. Plant Cell Biotechnology and Molecular Biology 3(1/2):21-28.

Jones, D.A. 2002. **Cyanogenesis and gene transfer: A defense strategy that may prove counterproductive.** SAAS Bulletin of Biochemistry and Biotechnology 15:25-33.

- Khush, G.S. 2002. **The promise of biotechnology in addressing current nutritional problems in developing countries.** Food and Nutrition Bulletin 23(4):354-357.

Laminski, S.; Gray, V.; Mycock, D.; Blatch, G.; Groll, J.; Rey, C. 2002.

Green fluorescent protein as a reporter of early transformation events in cassava (*Manihot esculenta* Crantz). South African Journal of Science 98(5/6):301-303.

López, C.E.; Zuluaga, A.P.; Cooke, R.; Delseny, M.; Tohme, J.; Verdier, V. 2003. **Isolation of Resistance Gene Candidates (RGCs) and characterization of an RGC cluster in cassava.** Molecular Genetics and Genomics 269(5):658-671.

- Ma GuoHua; Xu QiuSheng. 2002. **Induction of somatic embryogenesis and adventitious shoots from immature leaves of cassava.** Plant Cell, Tissue and Organ Culture 70(3):281-288.

Melo, N.F. de. 2002. **Somatic embryogenesis and ploidy stability in cassava (*Manihot esculenta* Crantz) cultivars regenerated by in vitro culture of young leaves.** Cytologia 67(4):337-341.

Miambi, E.; Guyot, J.P.; Ampe, F. 2003. **Identification, isolation and quantification of representative bacteria from fermented cassava dough using an integrated approach of culture-dependent and culture-independent methods.** International Journal of Food Microbiology 82(2):111-120.

Mikkelsen, M.D.; Halkier, B.A. 2003. **Metabolic engineering of valine- and isoleucine-derived glucosinolates in Arabidopsis expressing CYP79D2 from cassava.** Plant Physiology 131(2):773-779.

- Mkumbira, J.; Chiwona-Karltun, L.; Lagercrantz, U.; Mahungu, N.M.; Saka, J.; Mhone, A.; Bokanga, M.; Brimer, L.; Gullberg, U.; Rosling, H. 2003. **Classification of cassava into 'bitter' and 'cool' in Malawi: From farmers' perception to characterisation by molecular markers.** Euphytica 132(1):7-22.
- Montarroyos, A.V.V.; Lima, M.A.G. de; Santos, E.O. dos; França, J.G.E. de. 2003. **Isozyme analysis of an active cassava germplasm bank collection.** Euphytica 130(1):101-106.

Nassar, N.M.A. 2002. **Keeping options alive: a case for averting the extinction of wild cassava in South and Central America.** Gene Conserve (1):9-12.

Nassar, N.M.A. 2002. **Keeping options alive and threat of extinction: a survey of wild cassava survival in its natural habitat.** Gene Conserve (1):5-8.

Nassar, N.M.A. 2002. **Has Manihotoides pauciflora Rogers & Appan, a cassava relative become extinct?.** Gene Conserve (1):25.

Nassar, N.M.A.; Santos, C.R. dos. 2003. **Does selection improve apomixis in cassava, Manihot esculenta Crantz?.** Gene Conserve (10):152-153.

Nassar, N.M.A. 2003. **Manihot rogersii Nassar: A new synthetic species.** Gene Conserve (10):126-127.

Nassar, N.M.A. 2003. **Fertility and chimera induction in cassava, Manihot esculenta Crantz interspecific hybrids.** Gene Conserve (9):118-125.

Nassar, N.M.A.; Alves, J.; Souza, E. de. 2003. **Nutritive value and stature of a cassava (Mandioca), Manihot esculenta Crantz hybrid.** Gene Conserve (8):111-117.

Nassar, N.M.A. 2003. **Gene flow between cassava, Manihot esculenta Crantz and wild relatives.** Gene Conserve (4):64-79.

Nassar, N.M.A. 2002. **Cassava, Manihot esculenta Crantz genetic resources: II. Anatomy of a diversity center.** Gene Conserve (3):44-49.

Nassar, N.M.A. 2002. **Cassava, *Manihot esculenta* Crantz genetic resources: The origin of the crop, its evolution and relationships of wild relatives.** Gene Conserve (2):31-43.

Nassar, N.M.A. 2003. **Is apomixis in cassava (*Manihot esculenta*, Crantz) associated with aneuploidy?** Gene Conserve (7):106-110.

Nassar, N.M.A. 2002. **Apomixis and cassava.** Genetics and Molecular Research 1(2):147-152.

Nassar, N.M.A. 2002. **Cassava, *Manihot esculenta* Crantz, genetic resources: Origin of the crop, its evolution and relationships with wild relatives.** Genetics and Molecular Research 1(4):298-305.

Oboh, G.; Akindahunsi, A.A. 2003. **Biochemical changes in cassava products (flour & gari) subjected to *Saccharomyces cerevisiae* solid media fermentation.** Food chemistry 82(4):599-602.

- Okogbenin, E.; Fregene, M. 2003. **Genetic mapping of QTLs affecting productivity and plant architecture in a full-sib cross from non-inbred parents in Cassava (*Manihot esculenta* Crantz).** Theoretical and Applied Genetics 107(8):1452-1462.
- Okogbenin, E.; Fregene, M. 2003. **Genetic analysis and QTL mapping of early root bulking in an F₁ population of non-inbred parents in cassava (*Manihot esculenta* Crantz).** Theoretical and Applied Genetics 106(1):58-66.

Ospina Patiño, B.; Best, R. 2002. **Strategic alliances of cassava farmers with private and public sectors: A new approach for development of the cassava crop in Latin America.** JIRCAS International Symposium Series (11):62-68.

Peet-Schwering, C.M.C. van der, Kemp, B., Hartog, L.A. den, Schrama, J.W.; Verstegen, M.W.A. 2002. **Adaptation to the digestion of nutrients of a starch diet or a non-starch polysaccharide diet in group-housed pregnant sows.** Journal of Animal Physiology and Animal Nutrition 86(11/12):414-421.

Pereira, A.J.; Collet, S.A. de O.; Vidigal Filho, P.S.; Machado, M. de F.P. da S. 2002. **SDS-PAGE detection of a specific marker in 'Fécula Branca' cassava cultivar, *Manihot esculenta* Crantz (Euphorbiaceae).** Acta Scientiarum 24(2):615-618.

Pereira, L.F.; Goodwin, P.H.; Erickson, L. 2003. **Cloning of a peroxidase gene from cassava with potential as a molecular marker for resistance to bacterial blight.** Brazilian Archives of Biology and Technology 46(2):149-154.

Pillai, S.V.; Nayar, G.G.; Sumarani, G.O.; Harisankar, P.; Banerji, N.S. 2003. **Spontaneous sexual triploids from intraspecific crosses of cassava (*Manihot esculenta* Crantz): molecular evidence.** Plant Cell Biotechnology and Molecular Biology 4(12):75-82.

Rimoldi, F.; Vidigal Filho, P.S.; Vidigal, M.C.G.; Amaral Júnior, A.T. do; Maia, R.R.; Kvitschal, M.V.; Sagrilo, E. 2002. **Yield stability in cassava (*Manihot esculenta*, Crantz) cultivars in the north and northwest regions of Paraná State.** Crop Breeding and Applied Biotechnology 2(2):197-203.

Santana, M.A.; Vásquez, V.; Matehus, J.; Rangel Aldao, R. 2002. **Linamarase expression in cassava cultivars with roots of low-and high-cyanide content.** Plant Physiology 29(4):1686-1694.

- Sato, A.Y.; Maria, J.; Sediyaama, T.; Borém, A.; Cecon, P.R.; Junqueira, C.S. 2001. **Cassava micropagation: Effect of ammonium nitrate concentrations with and without BAP.** Revista Ceres 48(278):405-413.

Shore, K. 2002. **Decades of cassava research bear fruit.** Gene Conserve (1):1-4.

- Silva, R.M. da; Bandel, G.; Martins, P.S. 2003. **Mating system in an experimental garden composed of cassava (*Manihot esculenta* Crantz) ethnovarieties.** Euphytica 134(2):127-135.

Siritunga, D.; Sayre, R.T. 2003. **Generation of cyanogen-free transgenic cassava.** Planta 217(3):367-373.

Souza, C.R.B. de; Carvalho, L.J.C.B.; Almeida, E.R.P. de; Gander, E.S. 2002. **Towards the identification of cassava root protein genes.** Plant Foods for Human Nutrition 57(3/4):353-363.

Svasti, J.; Phongsak, T.; Sarnthima, R. 2003. **Transglucosylation of tertiary alcohols using cassava β -glucosidase.** Biochemical and Biophysical Research Communications 305(3):470-475.

Welch, R.M. 2002. **Breeding strategies for biofortified staple plant foods to reduce micronutrient malnutrition globally.** Journal of Nutrition 132(3):495S-499S.

- Welch, R.M.; Graham, R.D. 2002. **Breeding crops for enhanced micronutrient content.** Plant and Soil 245(1):205-214.

Zhang Peng; Jaynes, J.M.; Potrykus, I.; Gruissem, W.; Puonti-Kaerlas, J. 2003. **Transfer and expression of an artificial storage protein (ASP1) gene in cassava (Manihot esculenta Crantz).** Transgenic Research 12(2):243-250.

Zhang Peng; Fütterer, J.; Frey, P.; Potrykus, I.; Puonti-Kaerlas, J.; Gruissem, W. 2003. **Engineering virus-induced African cassava mosaic virus resistance by mimicking a hypersensitive reaction in transgenic cassava.** In: Plant biotechnology 2002 and beyond: Proceedings of the 10th IAPTC&B Congress, Orlando, Florida, USA, 23-28 June, 2002. p. 143-145.

Zhang Peng ; Jaynes, J.M.; Potrykus, I.; Gruissem, W.; Puonti-Kaerlas, J. 2003. **Transfer and expression of an artificial storage protein (ASP1) gene in cassava: Towards improving nutritive value of storage roots.** In: Plant biotechnology 2002 and beyond: Proceedings of the 10th IAPTC&B Congress, Orlando, Florida, USA, 23-28 June, 2002. p. 425-42

Zhang Peng; Gruissem, W. 2003. **Efficient replication of cloned African cassava mosaic virus in cassava leaf disks.** Virus Research 92(1):47-54.

Zinsou, V.; Ahohuendo, B.; Jorge, V.; Verdier, V.; Wydra, K. 2002. **Evaluation of cassava genotypes, including individuals of the genome mapping population, for resistance against bacterial blight.** Beiträge zur Züchtungsforschung - Bundesanstalt für Züchtungsforschung an Kulturpflanzen 8(3):31-35.